

dartek



dartek

DARTEK TECHNOLOGY UK LIMITED

Chase Business Centre, 39-41 Chase Side, London, England, N14 5BP

E-mail: sales@dartek.com Http://www.dartek.com



TOUCH THE SOUL OF TOOLS BECOME THE WORLD'S DARTEK

POWER TOOLS CATALOGUE

■ All products are subject to the actual product. Dayi Tools reserves the right to change the design of the product without prior notice, and does not assume any responsibility for printing errors.

MAY 2022

DARTEK TECHNOLOGY UK LIMITED



**TOUCH THE
SOUL OF TOOLS
BECOME THE
WORLD'S
DARTEK**





COMPANY PROFILE

Dartek Power Tools Co., Ltd is an innovative company combine R&D, Production and Marketing. It has over 3500 employees , 3 R&D centers, 2 production plants (plant size total 100,000+ square meters) and dozens of fully-automatic production lines. Meanwhile Dartek is building the third smart plant whose size is 200,000+ square meters with an investment of 2.1 Billion RMB. After completion, Dartek' s production capacity will reach 30 Million pcs annually.

Dartek brand focus on producing power tools, engine tools, pneumatic tools, measuring instruments,hand tools,etc. services for professional users in the construction and infrastructure industries with professional tools. Dartek powertools share main components and materials with the world' s famous powertools brands, and fit with the ISO9001 standard. Compared with benchmarks, Dartek is highly complimented by consumers for its satisfactory quality, performance and innovative functions .

Since 2012, Dartek brand has gone through a doubled sales volume for six consecutive years. Its sales reached over 2 Billion RMB in 2020 and became the 2nd biggest powertools brand in China. And its high-performance lithium tools have taken the No.1 cordless powertool market share in China for years.



workshop




workshop



workshop



workshop



workshop



workshop

COMPANY PROFILE

Plant Size
100,000
m²

Sales
2 Billion
RMB

Employee
3,500+

ISO9001
Quality
certification

CONTENT



CORDED TOOLS P07-P20



CORDLESS TOOLS P21-P32

ICON INDEX



Burshless motor



12 Voltage



16 Voltage



20 Voltage



Lithium battery



Single speed



Two-speed



Variable speed



Efficient technical battery platform



Forward and reverse



Double insulation



SDS Chuck



Keyless Chuck



17mm Hex



30mm Hex



Bevel Cutting



Impact Function

dartek



CORDED TOOLS



PAG 05-100
Angle Grinder

- 1. Slim body design
- 2. 1400W overload capacity
- 3. Machining gears for long lifetime
- 4. Back on/off switch



PAG 06-100
Angle Grinder

- 1. Slim body design
- 2. 1400W overload capacity
- 3. Machining gears for long lifetime
- 4. Slide on/off switch



	PAG 05-100	PAG 06-100
Rated Power Input	1050W	1050W
No-Load Speed	12000r/min	12000r/min
Max. Wheel Dia.	φ100mm	φ100mm
Hole Dia. of Wheel	φ16mm	φ16mm
Net Weight	1.5Kg	1.5Kg
	Wrench,Color box	Wrench,Auxiliary handle,Color box

PAG 5803
Angle Grinder

- 1. 1100W overload capacity
- 2. 186mm circumference slim body design
- 3. Dust-proof switch
- 4. Back on/off switch



PAG 5805
Angle Grinder

- 1. 1100W Overload Capacity
- 2. 186mm circumference slim body design
- 3. Dust-proof switch
- 4. Slide on/off switch



	PAG 5803	PAG 5805
Rated Power Input	850W	850W
No-Load Speed	11500r/min	12000r/min
Max. Wheel Dia.	φ100mm	φ100mm
Hole Dia. of Wheel	φ16mm	φ16mm
Net Weight	1.4Kg	1.4Kg
	Wrench,Color box	Wrench,Auxiliary handle,Color box

PAG 5806
Angle Grinder

- 1. 1100W Overload Capacity
- 2. 186mm circumference slim body design
- 3. Dust-proof switch
- 4. Slide on/off switch



PAG 5808
Angle Grinder

- 1. Slim body design
- 2. Powerful 1050W motor
- 3. Durable lock pin
- 4. Machining gears for long lifetime



	PAG 5806	PAG 5808
Rated Current	850W	1050W
Rated Speed	12000r/min	12000r/min
Max. Wheel Dia.	φ115mm	φ115mm
Hole Dia. of Wheel	φ22mm	φ22mm
Net weight	1.4Kg	1.5Kg
	Wrench,Auxiliary handle,Color box	Wrench,Auxiliary handle,Color box

PAG 5807
Angle Grinder

- 1.1100W Overload Capacity
- 2.186mm circumference slim body design
- 3.Dust-proof switch
- 4.Slide on/off switch



PAG 01-125
Angle Grinder

- 1. Slim body design
- 2. 1400W overload capacity
- 3.Machining gears for long lifetime
- 4.Slide on/off switch



	PAG 5807	PAG 01-125
Rated Input Power	850W	1050W
Rated Speed	12000r/min	12000r/min
Max. Wheel Dia.	φ125mm	φ125mm
Hole Dia. of Wheel	φ22mm	φ22mm
Net Weight	1.4Kg	1.5kg

Wrench,Auxiliary handle,Color box

Wrench,Auxiliary handle,Color box

PAG 01-180/PAG 01-230
Angle Grinder

- 1. Heavy duty design, ideal for stone and metal grinding
- 2. Comfortable auxiliary handle
- 3. Dust-proof switch ensures long lifetime
- 4. 3000W anti-overload power



	PAG 01-180	PAG 01-230
Rated Current	10A	10A
Rated Speed	8400r/min	6500r/min
Max. Wheel Dia.	φ180mm	φ230mm
Hole Dia. of Wheel	φ22mm	φ22mm
Net weight	5.5kg	5.5kg

Wrench,Auxiliary handle,Color box

Wrench,Auxiliary handle,Color box



PED 01-10

Electric Drill

- 1. 450W powerful motor
- 2. Extended carbon brush for long lifetime
- 3. Compact design and 1.1kg light weight
- 4. Keyless chuck



PED 02-10

Electric Drill

- 1. 450W powerful motor
- 2. Extended carbon brush for long lifetime
- 3. Compact design and 1.1kg light weight
- 4. Key chuck



	PED 01-10	PED 02-10
Rated Power Input	450W	450W
No-Load Speed	0-3500r/min	0-3500r/min
Max. Drilling Capacity		
Steel	φ10mm	φ10mm
Wood	φ25mm	φ25mm
Net Weight	1.1Kg	1.1Kg

Color box

Chuck Wrench, Color box

PED 01-13

Electric Drill

- 1. 660W powerful motor
- 2. Compact design and light weight
- 3. Key chuck



PID 02-13

Impact Drill

- 1. Powerful 710W motor for enhanced performance and durability
- 2. 13mm metal chuck for tough jobsite conditions
- 3. Increased robustness with dual bearing design



	PID 01-13	PID 02-13
Rated Input Power	660W	710W
No-Load Speed	0-2600r/min	0-2800r/min
Max. Drilling Capacity		
Steel	φ13mm	φ13mm
Wood	φ30mm	φ25mm
Net weight	1.7kg	2.1kg

Chuck Wrench, Color box

Chuck Wrench, Auxiliary handle, Drill Bits*3, Depth gauge, Carbon brush, Color box

PED 02-16

Electric Drill

- 1. Extended carbon brush for long lifetime
- 2. Compact design and light weight



PEM 02-160

Electric Mixer

- 1. Extended carbon brush for long lifetime
- 2. Compact design and light weight



F006
Electric Mixer Stirrer



	PED 02-16	PEM 02-160
Rated Input Power	1200W	1200W
No-Load Speed	1000r/min	1000r/min
Max. Drilling Capacity		
Steel	φ16mm	
Wood	φ36mm	
Net Weight	3.3kg	2.7kg

Chuck key, Auxiliary handle, Color box

Auxiliary handle, Color box

PDD 01-133

Diamond Drill With Water Source

- 1. Independent water supply system
- 2. Stainless machining steel gears for superior robustness
- 3. Dual mechanical and electric overload protection



PDD 02-168

Diamond Drill With Water Source

- 1. Independent water supply system
- 2. Stainless machining steel gears for superior robustness
- 3. Dual mechanical and electric overload protection



	PDD 01-133	PDD 02-168
Rated Input Power	1600 W	2050 W
Rated Speed	2200 r/min	1650 r/min
Max Drilling Dia.		
Concrete	φ70mm	φ80mm
Brick wall	φ133mm	φ180mm
Net Weight:	4.1 Kg	5.8 Kg

Auxiliary handle, Color box

Auxiliary handle, Color box

PRH 6615 Rotary Hammer

1. Powerful 800W motor
2. 4 Functions :drill, hammer drill, free rotation chiseling, chiseling
3. Adjustable speed ensures versatility and convincing results
4. Forward and reverse rotation



PRH 02-26R Rotary Hammer

1. Powerful 1050W motor
2. 3-mode operations :hammer drill, chiseling, free rotation chiseling
3. Quick change carbon brush



	PRH 6615		PRH 02-26R
Rated Input Power	800W	Rated Power Input	1050W
No-Load Speed	0-1100r/min	No-Load Speed	940r/min
Impact Frequency	0-4900BPM	Impact Frequency	4500BPM
Max.Driling Capacity		Max.Driling Capacity	
Concrete	φ26mm	Concrete	φ26mm
Impact Energy	3J	Impact Energy	4.5J
Net Weight	2.9kg	Net Weight	4.5Kg

Auxiliary handle, Depth gauge, Drill Bits*3, Chiseling bits*2, 13mm electric drill adaptor with connection, Plastic box

Auxiliary handle, Plastic box

PDH 0135 Demolition Hammer

1. Powerful 1200W high power motor
2. 35mm large diameter cylinder ensures high impact energy
3. Anti-vibration handle design for fatigue-free working



PDH 0130 Demolition Hammer


1. Powerful 1050W high power motor
2. 30mm large diameter cylinder ensures high impact energy
3. Anti-vibration handle design for fatigue-free working



	PDH 0135	PDH 0130
Rated Power Input	1200W	1050W
Rated Impact Frequency	3800BPM	3950BPM
Impact Energy	15J	9.7J
Net Weight	5.8Kg	5.3Kg
	Auxiliary handle, Plastic box	Auxiliary handle, Plastic box

PDH 0165 Demolition Hammer

1. Powerful 1400W high power motor
2. 45mm large diameter cylinder ensures high impact energy
3. High quality grease for extended durability



	PDH 0165
Rated Power Input	1400W
Rated Impact Frequency	1450BPM
Impact Energy	40J
Net Weight	15.7Kg
	Auxiliary handle, Color box



OTHERS



PMC 01-110 Marble Cutter

1. Powerful 1260W motor provides fast cutting performance
2. Water and dust proof switch design
3. Lightweight and ergonomic design for comfortable use



PMC 02-125 Marble Cutter

1. Powerful 1400W motor provides fast cutting performance
2. Water and dust proof switch design
3. Lightweight and ergonomic design for comfortable use



	PMC 01-110	PMC 02-125
Rated Power Input	1260W	1400W
No-load speed	13000r/min	13000r/min
Blade Dia	φ110mm	φ125mm
Max cutting depth	34mm	38.5mm
Net Weight	2.9kg	2.9kg
	Socket wrench, Wrench, Color box	Socket wrench, Wrench, Color box


PCS 01-185 Circular Saw

1. Quick change carbon brush design
2. Powerful 1200W motor
3. Lightweight and ergonomic design for comfortable use



PCM 5602 Cut off saw

1. 3000W overload capacity to make tough cutting easier
2. Thickened and widened base
3. Quick clamping mechanism
4. 0-45° mitre cutting angle



	PCS 01-185	PCM 5602
Rated Power Input	1200 W	2500 W
No-Load Speed	5600 r/min	Wheel Size
Blade Diameter	Ø185 mm	355x3x25.4
Max. Cutting Capacity	60mm	Miter Cutting Angle
Max. Cutting Angle	45°	0-45°
Net Weight	3.7 Kg	Max. Cutting Capacity
	Hex wrench, Color box	Round Steel
		125mm
		Pipe
		110mm
		Profiled Bar
		110x130mm
		Net Weight
		17.6kg
		Wrench, Color box

PJS 7102

Jig Saw

1. Straight plus 3 orbital settings
2. Aluminum gearbox ensures high performance and durability
3. 6-speed settings for different material cutting



	PJS 7102
Rated input power	550W
No-load reciprocating times	500-3100.../min
Maximum cutting capacity	
Steel	10mm
wood	65mm
Cutting angle	0-45°
net weight	2.4Kg

Hex wrench, Plastic box

PDG 01-25

Die Grinder

1. Patented air duct design to reduce motor temperature
2. Low noise and long lifetime
3. Triple bearing head design



	PDG 01-25
Rated Power Input	580W
No-load speed	3000r/min
Max Grinding Wheel Dia.	φ25mm
Max Collet Size	6mm
Net Weight	1.4kg

Wrench, Color box

PDG 01-10

Die Grinder

1. Optimized air vents for effective cooling
2. Barrel structure design ensures high performance and durability
3. Robust chuck for long lifetime



	PDG 01-10	PDG 02-10
Rated Input Power	160W	160W
No-Load Speed	30000r/min	10000-28000r/min
Max Diameter of Grinding Head	φ10mm	φ10mm
Chuck Clamping Diameter	3mm	3mm
Net Weight	0.6Kg	0.6Kg

Wrench, Color box

PDG 02-10

Die Grinder

1. Optimized air vents for effective cooling
2. Barrel structure design ensures high performance and durability
3. Robust chuck for long lifetime
4. 6-speed provides maximum control and precision



Wrench, Color box

PBL 01-32

Electric Blower

1. Blow and vacuum function
2. Double-layer fan ensures strong air volume



	PBL 01-32
Rated Power Input	680 W
No-Load Speed	16000 r/min
Air Volume	4.0 m3/min
Net Weight	1.9 Kg

Color box

PBL 02-32

Electric Blower

1. Blow and vacuum function
2. Double-layer fan ensures strong air volume
3. Adjustable air flow control



	PBL 02-32
Rated Power Input	680 W
No-Load Speed	8000-16000 r/min
Air Volume	2.05 - 4.1 m3/min
Net Weight	1.8 Kg

Color box

PEP 8601

Planner

1. Non-deforming aluminum alloy bottom
2. 560W powerful motor in compact body
3. Planing smoothly due to HSS knife
4. Precise planing depth adjustment



	PEP 8601
Rated Power input	560 W
No-load Speed	15800r/min
Max. Planing Width	82mm
Max. Planing Depth	1mm
Net Weight	2.4kg

Sharpening holder assembly, Blade gauge, Guide plate assembly, Socket wrench, Carbon brush, Color box

PHG 01-2000

Heat Gun

1. Optimized dust-proof air vents design
2. Turbo fan design ensures high air volume with low noise
3. 3-gear adjustable temperature and air flow for different applications



	PHG 01-2000
Rated Power Input	2000 W
Temperature	
Low Temperature	50 °C
Middle Temperature	400 °C
High Temperature	600 °C
Air Flow	
Low Temperature	350 L/min
Middle Temperature	350 L/min
High Temperature	550 L/min
Net Weight	0.8 Kg

Color box


ETB

EFFICIENT TECHNO-PLATFORM


FAST CHARGING (high efficiency)

dartak high-efficiency lithium battery technology, during the charging process, it always allow air to circulate through the battery, so that the battery can cool down. It can be charged efficiently and quickly, and the time required for charging is greatly shortened.


The charger communicates with the built-in battery chip during charging process, through the active control of current, voltage and temperature, can extend battery's lifetime.



dartek Smart charging technology



General charging technology



dartek Smart charging technology
Balanced cooling



fast charging




General charging technology
Natural heat dissipation



Slow charging



BATTERY PROTECTION FUNCTION (long life)



This function is a communication technology that allows tools to monitor the battery in real time status, and exchange data to prevent overload, excessive discharge and overheating.

PROFESSIONAL BRUSHLESS MOTOR

Since Dartek brushless motors have no brushes, the motors run at a more constant temperature, more efficient, and have a longer lifespan.

Electronically controlled brushless motors effectively use power to match torque and speed, to meet changing application requirements.

BL
MOTOR



ADVANTAGE

- 1 Longer lifetime and free maintenance.
- 2 Best power-weight ratio in its class.
- 3 More runtime per battery charger
- 4 No brush sparking due to electrical switch by electronics.

CORDLESS TOOLS

One battery for multiple professional applications



A7
LITHIUM-ION
SERIES

20V
SHARE
PLATFORM

dartek A7 LITHIUM-ION SERIES
A7-40B120V
4000mAh 72Wh
WARNING: Install it on machines from our company only, for safety reason.

CORDLESS DRIVER DRILL



CORDLESS TOOLS

1006

Cordless Driver Drill


1. Dual speed
2. High power motor
3. Optimized battery cell management ensures high efficiency and long lifetime



C5-3306-1

Cordless Driver Drill

1. Brushless motor
2. High torque 35N.m
3. Dual speed design
4. Soft grip handle



	1006	C5-3306-1
Battery	12V/2.0Ah x2	12V/2.0Ah x2
No-Load Speed	High Speed: 0-1400r/min Low Speed: 0-400r/min	High Speed: 0-1500r/min Low Speed: 0-450r/min
Chuck Size	10mm	10mm
Max. Torque	High Torque: 30N.m Low Torque: 16N.m	High Torque: 35N.m Low Torque: 18N.m
Torque Setting	17+1	19+1
Max. Drilling Capacity	Steel Wood	Steel Wood
	φ10mm φ20mm	φ10mm φ20mm
Net Weight	1.0kg	0.8kg

Battery Charger, Battery Pack*2

Battery Charger, Battery Pack*2

1008

Cordless Driver Drill

1. Dual speed
2. High power motor
3. Optimized battery cell management ensures high efficiency and long lifetime



Q3-3305-1

Cordless Driver Drill

1. Brushless motor
2. High torque 40N.m
3. Dual speed design
4. Soft grip handle



	1008	Q3-3305-1
Battery	16V/2.0Ah x2	16V/2.0Ah x2
No-Load Speed	High Speed: 0-1400r/min Low Speed: 0-400r/min	High Speed: 0-1500r/min Low Speed: 0-450r/min
Chuck Size	10mm	10mm
Max. Torque	High Torque: 30N.m Low Torque: 16N.m	High Torque: 40N.m Low Torque: 20N.m
Torque Setting	17+1	19+1
Max. Drilling Capacity	Steel Wood	Steel Wood
	φ10mm φ20mm	φ10mm φ20mm
Net Weight	1.0kg	0.9kg

Battery Charger, Battery Pack*2

Battery Charger, Battery Pack*2

2008
Cordless Impact Driver

1. High power motor
2. Optimized battery cell management ensures high efficiency and long lifetime



	2008
Battery	16V/2.0Ah
Max. Screw Dia.	6.35mm
No-Load Speed	0-2400r/min
Impacting Frequency	0-3000ipm
Max. Torque	105N.m
Net Weight	1.0Kg

Battery Charger, Battery Pack*2

1028
Cordless Driver Drill

1. Dual speed
2. High power motor
3. Optimized battery cell management ensures high efficiency and long lifetime




	1028
Battery	20V/2.0Ah x2
No-Load Speed	High Speed: 0-1400r/min Low Speed: 0-400r/min
Chuck Size	10mm
Max. Torque	High Torque: 30N.m Low Torque: 16N.m
Torque Setting	17+1
Max. Drilling Capacity Steel	φ10mm
Wood	φ20mm
Net Weight	1.1kg

Battery Charger, Battery Pack*2


A7-3302-20S
Cordless Driver Drill

1. Intelligent brushless motor for efficiency, endurance, and compactness
2. High speed provides great work efficiency
3. 38N.m torque for tough applications
4. 19+1 torque settings
5. Ergonomic design with soft grip handle design



A7-3303-2
Cordless Driver Drill

1. Brushless motor
2. High torque 80N.m
3. Dual speed design
4. Soft grip handle
5. 20+1 torque settings



A7-6801-2
Cordless Impact Wrench

1. Intelligent brushless motor for efficiency, endurance, and compactness
2. High torque, high impact rate and fast rotation speed for fast bolt driving
3. Anti-vibration switch protection design
4. Optimized battery cell management ensures high efficiency and long lifetime



	A7-6801-2
Battery	20V/4.0Ah x2
Standard Bolt Size	M6-M16mm
Square Drive Size	12.7mm (1/2")
No-load Speed	0-2200r/min
Max. Impacting Frequency	0-3500ipm
Max. Fastening Torque	310N.m
Net Weight	1.7kg

Battery Charger, Battery Pack*2, Socket, Carry bag

A7-6701
Cordless Impact Driver

1. Intelligent brushless motor for efficiency, endurance, and compactness
2. High torque, high impact rate and fast rotation speed for fast screw driving and drilling into metal and wood.
3. Anti-vibration switch protection design
4. Optimized battery cell management ensures high efficiency and long lifetime



	A7-6701
Battery	20V
Max. Screw Dia.	6.35mm
No-Load Speed	0-3500r/min
Impacting Frequency	0-2200ipm
Max. Torque	310N.m
Net Weight	1.1Kg

Includes: Tool only, battery & charger not included

	A7-3302-20S		A7-3303-2
Battery	20V / 2.0Ah x2	Battery	20V/4.0Ah x2
No-Load Speed	High Speed: 0-1400r/min Low Speed: 0-400r/min	No-Load Speed	High Speed: 0-1800r/min Low Speed: 0-500r/min
Chuck Size	10mm	Chuck Size	13mm
Max. Torque	High Torque: 38N.m Low Torque: 20N.m	Max. Torque	High Torque: 80N.m Low Torque: 22N.m
Torque Setting	19+1	Torque Setting	20+1
Max Drilling Dia Steel	φ10mm	Max Drilling Dia Steel	φ13mm
Wood	φ20mm	Wood	φ38mm
Net Weight	1.2Kg	Net Weight	1.8Kg

Battery Charger, Battery Pack*2

Battery Charger, Battery Pack*2

A7-5801-2 Cordless Angle Grinder

1. Intelligent brushless motor for efficiency, endurance, and compactness
2. Balanced design and slim handle, specifically optimised for versatile cutting
3. Optimized battery cell management ensures high efficiency and long lifetime

ETB



A7-5802-2 Cordless Angle Grinder

1. Intelligent brushless motor for efficiency, endurance, and compactness
2. Super slim handle and light weight design
3. Optimized battery cell management ensures high efficiency and long lifetime
4. Three speed regulation

ETB



	A7-5801-2	A7-5802-2
Battery	20V/4.0Ah x2	20V/4.0Ah x2
No-Load Speed	8500r/min	3500/6200/8500r/min
Max. Wheel Dia.	φ100mm	φ100mm
Hole Dia. of Wheel	φ16mm	φ16mm
Spindle Thread	M10	M10
Net Weight	1.9Kg	1.7Kg

Battery Charger, Battery Pack*2, Wrench, Auxiliary handle, Carry bag

Battery Charger, Battery Pack*2, Wrench, Auxiliary handle, Carry bag

A7-6603-2

Cordless Rotary Hammer

1. Intelligent brushless motor for efficiency, endurance, and compactness
2. 2-mode operations: drill, hammer drill
3. Mechanical and electronic dual clutch system ensures operator safety
4. Optimized battery cell management ensures high efficiency and long lifetime

ETB



A7-6608-2

Cordless Rotary Hammer

1. Brushless motor
2. 2-Mode Operations: drill, hammer drill
3. Compact body
4. Impact energy 1.7J
5. Optimized battery cell management ensures high efficiency and long lifetime

ETB



	A7-6603-2	A7-6608-2
Battery	20V/4.0Ah x2	20V/4.0Ah x2
No-Load Speed	0-1400r/min	0-1700r/min
Blows Per Minute	0-4500BPM	0-5300BPM
Impact Energy	1.7J	1.7J
Max. Drilling Dia. (Concrete)	φ22mm	φ20mm
Net Weight	2.4kg	1.8kg

Battery Charger, Battery Pack*2, Wrench, Auxiliary handle, Carry bag

Battery Charger, Battery Pack*2

A7-8805-2 Cordless Circular Saw

1. Brushless motor
2. Straight handle design
3. 0~45° bevel cut
4. 55mm deep cut
5. Compact size design and light weight
6. Ideal for one-handed operation and cutting in tight spaces

ETB



A7-8802-2 Cordless Circular Saw

1. Brushless motor
2. Straight handle design
3. 0~45° bevel cut
4. 42.5mm deep cut
5. Compact size design and light weight
6. Ideal for one-handed operation and cutting in tight spaces

ETB



	A7-8805-2	A7-8802-2
Battery	20V/4.0Ahx2	20V/4.0Ahx2
No-Load Speed	6200r/min	6200r/min
Blade Dia.	φ150mm	φ125mm
Max. Cut Depth	90° 55mm	90° 42.5mm
	45° 40mm	45° 31mm
Bevel Angle	0-45°	0-45°
Net Weight	2.3Kg	2.2Kg

Battery Charger, Battery Pack*2, Blade, Wrench, Carry bag

Battery Charger, Battery Pack*2, Blade, Wrench, Carry bag

A7-8801

Cordless Circular Saw

1. Brushless motor
2. 0~45° bevel cut
3. 65mm deep cut



ETB



	A7-8801
Battery	20V
No-Load Speed	4800r/min
Blade Dia.	φ185mm
Max. Cut Depth	90° 65mm
	45° 40mm
Bevel Angle	0-45°
Net Weight	3.1Kg

Wrench,Socket,Battery and Charger not included

A7-7101-1

Cordless Reciprocating Saw

1. Balanced easy-handling design
2. Brushless motor
3. Variable-speed control



ETB



	A7-7101-1
Battery	20V/2.0Ahx2
Reciprocating Stroke	14.5mm
Reciprocating Frequency	3000/min
Net Weight	1.4kg

Battery Charger, Battery Pack*2,Blade,

A7-5501-1D

Cordless Washing Machine

1. High/Low pressure
2. Multi-spray nozzle
3. Max pressure control 22 Bar
4. Foam spraying function
5. safety lock button, prevent false start
6. The Multi Jet offers six spray types, which is therefore ideally suited to a wide variety of applications



ETB



	A7-5501-1D
Battery	20V/2.0Ahx1
Water Outlet Pressure	High Pressure 22 Bar
	Low Pressure 6.5 Bar
Rated Flow	120L/h
Net Weight	1.4Kg

Battery Charger, Battery Pack*1, Water pipe, Soap bottle, Carry bag

A7-3201

Cordless Blower

1. Intelligent brushless motor for efficiency, endurance, and compactness
2. Blow and vacuum function
3. Variable speed provides maximum control and precision



ETB



	A7-3201
Voltage	20V
Max Air Volume	2.6m ³ /min
Rated Speed	0-18000r/min
Net Weight	0.9Kg

Battery and Charger not included

A7-7201-2

Cordless Chain Saw

1. Compact design
2. Patented oil autofeed system
3. Brushless motor



ETB

	A7-7201-2	A7-7202-1
Battery Voltage	20V/4.0Ahx2	20V/2.0Ahx2
Chain Saw Speed	6m/s	6m/s
Chain bar length	8"	4"
Net Weight	2.2Kg	1.2Kg

Battery Charger, Battery Pack*2,Screwdriver

A7-7202-1

Cordless Chain Saw

To be on the market



ETB



Battery Charger, Battery Pack*2,Screwdriver

3308

Cordless Pistol Screwdriver



ETB



	3308	3307
Battery	4V/1.5Ah	4V/2.0Ah
No-Load Speed	330r/min	220r/min
Max. Torque	5N.m	5N.m
Holding Capacity	1/4" Hex Socket	1/4" Hex Socket
Net Weight	0.3Kg	0.3Kg

Extension rob, bits*13, Charge cable

Extension rob, bits*20, Charge cable

ETB

